

# JCB CONSUMER & INDUSTRIAL BATTERY RANGE



## The JCB Battery Range

JCB is a truly world-class brand. A brand synonymous with reliability, power and innovation. The JCB Battery Range is comprehensive, suitable for a variety of market sectors. Be assured, JCB batteries live up to the JCB brand strengths:

POWERFUL  
RELIABLE  
INNOVATIVE





## **CONTENTS**

**Zinc 4**

**Alkaline 5**

**Rechargeable 6**

**Digital 7**

**Multipacks 8-9**

**Professional Alkaline 10**

**Specialist 11**

**General Industrial batteries 12**

**Golf Industrial batteries 13**

**Deep Cycle Industrial batteries 14**

**Point of Sale Material 15**



## JCB Zinc

JCB Zinc batteries provide an economical power source for devices requiring low-drain intermittent usage.

Devices: Radio, Remote control, Torches (small) & Alarm clock

JCB Zinc batteries are the ideal solution where low cost is the prime consideration of the end user.

Product Description	Short Code	Battery Type	Pack Size	Inner case QTY	Outer case QTY
R6JCBB4 JCB R6/AA 4 Pk Zinc	S5325	AA	4 Pk	10	40 (4 x 10)
R6JCBB4+4 JCB R6/AA 4+4 Pk Zinc CDU	S5326	AA	4+4 Pk	24	48 (2 x 24)
R6JCBB10 JCB R6/AA 10 Pk Zinc	S5489	AA	10Pk	10	40 (4 x 10)
R03JCBB4 JCB R03/AAA 4 Pk Zinc	S5327	AAA	4 Pk	10	40 (4 x 10)
R03JCBB4+4 JCB R03/AAA 4+4 Pk Zinc CDU	S5328	AAA	4+4 Pk	24	48 (2 x 24)
R14JCBB2 JCB R14/C 2 Pk Zinc	S5329	C	2 Pk	10	40 (4 x 10)
R20JCBB2 JCB R20/D 2 Pk Zinc	S5330	D	2 Pk	10	40 (4 x 10)
PP3JCBB1 JCB PP3/9V 1 Pk Zinc	S5331	9V	1 Pk	10	40 (4 x 10)





## JCB Super Alkaline

JCB Super Alkaline batteries provide premium alkaline quality for high and medium drain appliances ensuring reliable and dependable power – lasting up to 30% longer than standard alkaline batteries.

Devices: Portable audio, photo cameras (analogue), toys, CD players, toothbrushes, torches & many more.

Product Description	Short Code	Battery Type	Pack Size	Inner case QTY	Outer case QTY
LR6JCBB4 JCB LR6/AA 4 Pk Sup Alk	S5332	AA	4 Pk	10	40 (4 x 10)
LR6JCBB4+2FREE JCB LR6/AA 4+2 Free Sup Alk	S5336	AA	4+2 Pk	10	40 (4 x 10)
LR6JCBB4+4 JCB LR6/AA 4+4 Pk Sup Alk CDU	S5333	AA	4+4 Pk	24	48 (2 x 24)
LR6JCBB10 JCB LR6/AA 10 Pk Sup Alk	S5361	AA	10 Pk	10	40 (4 x 10)
LR6JCBB12 JCB LR6/AA 12 Pk Sup Alk	S5334	AA	12 Pk	10	40 (4 x 10)
LR6JCBB16 JCB LR6/AA 16 Pk Sup Alk	S5335	AA	16 Pk	10	40 (4 x 10)
LR6JCBB24 JCB LR6/AA 24 Pk Sup Alk	S5490	AA	24 Pk	10	40 (4 x 10)
LR03JCBB4 JCB LR03/AAA 4 Pk Sup Alk	S5337	AAA	4 Pk	10	40 (4 x 10)
LR03JCBB4+4 JCB LR03/AAA 4+4 Pk Sup Alk CDU	S5338	AAA	4+4 Pk	24	48 (2 x 24)
LR14JCBB2 JCB LR14/C 2 Pk Sup Alk	S5339	C	2 Pk	10	40 (4 x 10)
LR20JCBB2 JCB LR20/D 2 Pk Sup Alk	S5340	D	2 Pk	10	40 (4 x 10)
LR22JCBB1 JCB LR22/9V 1 Pk Sup Alk	S5341	9V	1 Pk	10	40 (4 x 10)





## JCB Rechargeable

JCB Rechargeable batteries provide cost-effective, reusable power for high-tech, high-drain devices. You can trust JCB to last longer and recharge hundreds of times. The new instant charge are ready for use immediately and come fully charged.

Devices: Digital Cameras & MP3 Players

JCB Rechargeable batteries also represent the perfect environmentally friendly power source, and are the most economical in the long run.

Product Description	Short Code	Battery Type	Pack Size	Inner case QTY	Outer case QTY
RX6JCB1300B4 JCB RX6/AA 1300MAH 4 PK	S5452	AA	4 Pk	10	40 (4 x 10)
RX6JCB2650B4 JCB RX6/AA2650mah Rech 4 Pk	S5350	AA	4 Pk	10	40 (4 x 10)
RX03JCB1000B4 JCB RX03/AAA1000MAH RECH 4 Pk	S5352	AAA	4 Pk	10	40 (4 x 10)
RX6JCB2100INSTANTB4 +2FREE JCB RX6/AA 2100MAH INSTANT 4+2 FREE PK	S5456	AA	6 Pk	10	40 (4 x 10)
RX03JCB800INSTANTB4 JCB RX03/AAA800MAH INSTANT 4+2 FREE PK	S5457	AAA	4 Pk	10	40 (4 x 10)





### JCB O.X.I

JCB OX.I batteries are the most powerful batteries in the JCB range. JCB OX.I is the only OX.I AA and AAA battery which lasts 7 x longer in digital cameras (v/s leading ordinary alkaline batteries) .

Devices: Hi-tech, CD Players & Digital Cameras.

JCB O.X.I batteries are the ultimate power source for high-drain devices, where the principle concern of the end-user is highly dependable performance.

Product Description	Short Code	Battery Type	Pack Size	Inner case QTY	Outer case QTY
LR6JCBB4DIGITAL	S5491	AA	4 Pk	10	40 (4 x 10)
LR03JCBB4DIGITAL	S5492	AAA	4 Pk	10	40 (4 x 10)





### Multi-packs

JCB Multipacks are available in both AA and AAA in both the Zinc and Alkaline range, ideal for seasonal promotions.

Product Description	Short Code	Battery Type	Pack Size	Inner case QTY	Outer case QTY
R6JCBB4+4 JCB R6/AA 4+4 Pk Zinc CDU	S5326	AA	4+4 Pk	24	48 (2 x 24)
R6JCBB10 JCB R6/AA 10 Pk Zinc	S5489	AA	10Pk	10	40 (4 x 10)
R03JCBB4+4 JCB R03/AAA 4+4 Pk Zinc CDU	S5328	AAA	4+4 Pk	24	48 (2 x 24)
LR6JCBB4+2FREE JCB LR6/AA 4+2 Free Sup Alk	S5336	AA	4+2 Pk	10	40 (4 x 10)
LR6JCBB4+4 JCB LR6/AA 4+4 Pk Sup Alk CDU	S5333	AA	4+4 Pk	24	48 (2 x 24)
LR6JCBB10 JCB LR6/AA 10 Pk Sup Alk	S5361	AA	10 Pk	10	40 (4 x 10)
LR6JCBB12 JCB LR6/AA 12 Pk Sup Alk	S5334	AA	12 Pk	10	40 (4 x 10)
LR6JCBB16 JCB LR6/AA 16 Pk Sup Alk	S5335	AA	16 Pk	10	40 (4 x 10)
LR6JCBB24 JCB LR6/AA 24 Pk Sup Alk	S5490	AA	24 Pk	10	40 (4 x 10)
LR03JCBB4+4 JCB LR03/AAA 4+4 Pk Sup Alk CDU	S5338	AAA	4+4 Pk	24	48 (2 x 24)







Product Description	Short Code	Battery Type	Pack Size	Inner case QTY	Outer case QTY
JCBPROAA JCB AA INDUSTRIAL	S5446	AA	Each	10	100 (10 x 10)
JCBPROAAA JCB AAA INDUSTRIAL	S5447	AAA	Each	10	100 (10 x 10)
JCBPROC JCB C INDUSTRIAL	S5448	C	Each	10	50 (5 x 10)
JCBPROD JCB D INDUSTRIAL	S5449	D	Each	10	50 (5 x 10)
JCBPRO9V JCB 9V INDUSTRIAL	S5450	9V	Each	10	50 (5 x 10)
LR22JCBBI JCB LR22/9V 1 Pk Sup Alk	S5341	9V	1 Pk	10	40 (4 x 10)

## JCB Professional Super Alkaline

JCB Super Alkaline batteries are the popular choice for consumers and industrial applications where an economical and general purpose battery is required. Advantages include: high energy output, reliability, long shelf life, and good low temperature performance.

## JCB Silver Oxide Watch Batteries

JCB Silver Oxide watch batteries are suitable for a wide range of devices, including: Clocks, Car keys & Watches.



## Specialist

JCB specialist batteries are suitable for a wide variety of electronic devices. They are ideal for watches, calculators, clocks, torches, toys, car keys, health & fitness devices and more...

Product Description	Short Code	Battery Type	Pack Size	Inner case QTY	Outer case QTY
LR1JCBBI JCB LR1 1 Pk	S5342	LR1	1	10	100 (10 x 10)
LRV08JCBBI JCB LRV08 1 Pk	S5343	LRV08	1	10	100 (10 x 10)
LR44JCBBI JCB LR44 2 Pk	S5344	LR44	2	10	100 (10 x 10)
CR2016JCBBI JCB CR2016 B I	S5345	CR2016	1	10	100 (10 x 10)
CR2025JCBBI JCB CR2025 1 Pk	S5346	CR2025	1	10	100 (10 x 10)
CR2032JCBBI JCB CR2032 1 Pk	S5347	CR2032	1	10	100 (10 x 10)
PJ996JCB JCB PJ996 1 Pk	S5348	PJ996	1	6	24 (4 x 6)
379JCB 379/SG0/SR521SW JCB	S5432	379	1	100 (10 x 10)	1000 (10 x 10 x 10)
364JCB 364/SG1/SR621SW	S5433	364	1	100 (10 x 10)	1000 (10 x 10 x 10)
399/396/397JCB 399/396/397/SG2/SR726W JCB	S5434	399/396/397	1	100 (10 x 10)	1000 (10 x 10 x 10)
384/392JCB 384/392/SG3/SR41W	S5435	384/392	1	100 (10 x 10)	1000 (10 x 10 x 10)
376/377JCB 376/377/SG4/SR626W	S5436	376/377	1	100 (10 x 10)	1000 (10 x 10 x 10)
393JCB 393/SG5/SR754W JCB	S5437	393	1	100 (10 x 10)	1000 (10 x 10 x 10)
370/371JCB 370/371/SG5/SR920W JCB	S5438	370/371	1	100 (10 x 10)	1000 (10 x 10 x 10)
395JCB 395/SG7/SR927W JCB	S5439	395	1	100 (10 x 10)	1000 (10 x 10 x 10)
381/391JCB 381/391/SG8/SR11202W JCB	S5440	381/391	1	100 (10 x 10)	1000 (10 x 10 x 10)
394JCB 394/SG9/SR936W JCB	S5441	394	1	100 (10 x 10)	1000 (10 x 10 x 10)
389/390JCB 389/390/SG10/SR1130W JCB	S5442	389/390	1	100 (10 x 10)	1000 (10 x 10 x 10)
361/362JCB 361/362/SG11/SR721W JCB	S5443	361/362	1	100 (10 x 10)	1000 (10 x 10 x 10)
301/386JCB 301/386/SG12/SR43W JCB	S5444	301/386	1	100 (10 x 10)	1000 (10 x 10 x 10)
303/357JCB 303/357/SG13/SR44W JCB	S5445	303/357	1	100 (10 x 10)	1000 (10 x 10 x 10)

# Industrial | GENERAL PURPOSE

General Purpose Sealed Lead Acid batteries for float applications. This range meets the requirements for applications such as emergency lighting, alarm and security systems, wind and solar systems, standby, telecoms and cable TV systems.



## General Purpose Sealed Lead Acid Batteries for float applications

Short Code	Description	Length	Width	Height	Overall Height	Terminal	Weight
S5071	6V 1.2 AH AGM	97	24	52	58	T1	0.31
S5072	6V 3.2 AH AGM	134	34	60	66	T1	0.71
S5073	6V 4.0 AH AGM	70	47	100	107	T1	0.87
S5074	6V 7.0 AH AGM	151	34	95	101	T1	1.35
S5075	6V 10.0 AH AGM	151	51	95	101	T1	2.0
S5076	6V 12.0 AH AGM	151	51	95	101	T1	2.07
S5247	12V 0.8 AH AGM	96	25	62	68	T1	0.42
S5077	12V 1.2 AH AGM	97	43	52	58	T1	0.59
S5078	12V 1.9 AH AGM	178	35	61	67	T1	0.84
S5079	12V 2.3 AH AGM	178	35	61	67	T1	0.92
S5080	12V 2.9 AH AGM	80	56	98	104	T1	1.2


Short Code	Description	Length	Width	Height	Overall Height	Terminal	Weight
S5081	12V 3.2 AH AGM	134	67	61	67	T1	1.44
S5082	12V 4.0 AH AGML	175	47	70	76	T1	1.5
S5083	12V 4.5 AH AGM	90	70	101	107	T1	1.83
S5084	12V 7.0 AH AGM	151	65	95	101	T1	2.7
S5085	12V 7.0 AH AGMFR	151	65	95	101	T1	2.7
S5086	12V 12 AH AGM	151	99	95	101	T1	4.2
S5087	12V 12 AH AGMFR	151	99	95	101	T1	4.2
S5088	12V 20 AH AGM	181	77	167	167	T3	5.9
S5089	12V 24 AH AGM	166.5	175	125	125	T3	9.2
S5090	12V 24 AH AGMH	66	126	175	182	T10	9.2
S5203	12V 40 AH AGM	225	97	203	203	T7	15.0

# Industrial | GOLF

Batteries for golf trolleys. Available in both deep cycle Sealed Lead Acid and Sealed Lead Acid Gel, this range covers virtually every golf trolley application. The batteries, which are fitted as original equipment to many golf trolleys, are supplied with the correct adaptors and carrying straps.

## Battery Chargers

The JCB range comprises of three chargers. One is for the golf trolley battery range, the other two for 24V deep cycle applications.



## Deep Cycle Sealed Lead Acid batteries for cyclic applications

Short Code	Description	Length	Width	Overall Height	Weight
S5099	12V 18AH AGM with Hillbilly connectors	182	77	168	6.1
S5100	12V 26AH AGM with Powakaddy connectors	165	125	182	9.4
S5101	12V 33AH AGM with Powakaddy connectors	195	130	180	11.2
S5102	12V 26AH AGM Gel with Powakaddy connectors	165	125	182	9.4
S5103	12V 31AH AGM Gel with Powakaddy connectors	195	130	180	11.2

Short Code	Description
S5106	12 Volt 4 Amp Electronic Charger with Hillbilly, Powakaddy and crocodile connectors



# Industrial | DEEP CYCLE

**Deep Cycle Sealed Lead Acid batteries for cyclic applications.** Designed specifically for heavy duty traction applications such as mobility scooters, lifting equipment and floor cleaners. Specified by original equipment manufacturers, these batteries are guaranteed to deliver top performance.

**Deep Cycle Sealed Lead Acid Gel batteries for cyclic applications.** The introduction of gel electrolyte to the battery enables it to be more easily recharged when deeply discharged on a regular basis.



Deep Cycle Sealed Lead Acid batteries for cyclic applications

Short Code	Description	Length	Width	Height	Overall Height	Terminal	Weight
S5091	12V 12AH AGM	151	98	95	101	T1	4.3
S5092	12V 18AH AGM	182	77	168	168	T3	6.2
S5093	12V 24AH AGM	167	175	125	125	T3	8.6
S5094	12V 33AH AGM	196	131	164	180	T6	11.0
S5095	12V 38AH AGM	198	165	170	170	T6	15.0
S5096	12V 55AH AGM	229	188	210	218	T6	18.3
S5097	12V 75AH AGM	260	169	211	219	T6	29.2
S5098	12V 100AH AGM	331	175	214	220	T11	34.3

Deep Cycle Sealed Lead Acid Gel batteries for cyclic applications

Short Code	Description	Length	Width	Height	Overall Height	Terminal	Weight
S5104	12V31AH AGM GEL	196	131	164	180	T6	11.0
S5105	12V 55AH AG GEL	229	137	210	218	T6	18.3

Chargers for 24 Volt Applications

Short Code	Description
S5107	24 Volt 6 Amp Electronic Charger
S5108	24 Volt 10 Amp Electronic Charger

**BUILT TO LAST**

### JCB Batteries Point of Sale Material

The JCB Battery POS material will ensure maximum sales for the JCB Battery Range.

The CDU and FSDU are modern & innovative & will catch the eye of customers.

The well know JCB brand & yellow & black colouring will draw customers towards the displays.

The comprehensive range of JCB Battery POS material will ensure maximum sales for your business.



Available at your  
nearest stockist:



JCB and the JCB logo are registered trademarks  
of J.C.Bamford Excavators Ltd